L Number Hits Search Text	L Number	Uite	Search Toyt	DB	mimo otama
array) same (circular near3 array) array same (circular near3 array) US-FGVUE, RPO, JPO; DERNENT, IEM_TDB USPAT, USPO, USPAT,	- Number			<u></u>	Time stamp
					2001/01/22 13:10
DERMENT; IN TOB			array, same (orreard mears array,		
1 queue same ((two adj dimensional) near3 (array or buffer) same (circular near3 USPAT; USPA					
1 queue same ((two adj dimensional) near3 uSPAT; EPOCUBE; EPO; JPO; DERMENT; IBM TOB USPAT; USP					:
(array or buffer) aame (circular near3 US-PGPUB; Carray or buffer)	-	1	queue same ((two adj dimensional) near3		2004/04/22 15:28
(array or buffer)				US-PGPUB;	
1 (queue same ((two adj dimensional) near3 (array or buffer)) same (circular near3 (array or buffer)) same (circular near3 (array or buffer)) same circular SPAT; US-PGVUB; EPG, JPG, DERRENT; EMM TOB USPAT; US-PGVUB; EPG, JPG, DERRENT; EMM TOB USPAT; U			(array or buffer))	EPO; JPO;	
1 (queue same ((two adj dimensional) near3 (array or buffer)) same (circular near3 (array or buffer)) same (circular near3 (array or buffer)) same circular 1 (queue same ((two adj dimensional) near3 (array or buffer) same circular 1 (queue same dimensional near3 (array or buffer) same circular 1 (queue same dimensional near3 (array or buffer) same circular 1 (queue same dimensional near3 (array or buffer) same circular 1 (queue same dimensional near3 (array or buffer) same circular 1 (queue same dimensional near3 (array or buffer) same circular 1 (queue same dimensional near3 (array or buffer) same circular 1 (queue same dimensional near3 (array or buffer) same circular 1 (dimensional near3 (array or buffer) same circular 1 (dimensional near3 (array or buffer) same circular) and queue 1 (dimensional near3 (array or buffer) same circular 1 (dimensional near3 (array or buffer) 1 (dimensional near3 (array or				DERWENT;	
(array or buffer)) same (circular near3 US-PGPUB; (array or buffer)) same (circular near3 US-PGPUB; (array or buffer)) same (circular near3 US-PGPUB; (array or buffer)) same circular US-PGPUB; (array or buffer) US-PGPU				IBM_TDB	
(array or buffer)) and @ad<20010109 EPO; JPO; DERRINT; IBM TDB 2004/04/22 15:47 18	-	1		USPAT;	2004/04/22 15:48
1 queue same ((two adj dimensional) near3 USPAT;				,	
1 queue same ((two adj dimensional) near3 USPAT; US-PGPUB; EPO; JPO; DERMENT; IBM TDB USPAT; US-PGPUB; E			(array or buffer))) and @ad<20010109		
1 queue same ((two adj dimensional) near3 USPĀT;				,	
(array or buffer)) same circular		_			
- 1 (queue same dimensional near3 (array or buffer) same circular	-	1		· ·	2004/04/22 15:47
DERMENT: IEM TDB USPAT; US-PGPUB; EPO; JPO; DERMENT; IEM TDB USPAT		·	(array or buffer)) same circular	•	
3 queue same dimensional near3 (array or buffer) same circular 1 (queue same dimensional near3 (array or buffer) same circular) and @ad<20010109 DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO;			<i>,</i>		
3 queue same dimensional near3 (array or buffer) same circular USPĀT; US-PGPUB; EPO; JPO; DERWENT; TEM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; TEM T			•	-	
Duffer Same circular US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; U	_		mieue came dimencional noar? /array or		2004/04/22 15:40
Company Comp	-	3		•	2004/04/22 13:48
Company Comp			bullely same circular	•	
1					
1 (queue same dimensional near3 (array or buffer) same circular) and @ad<20010109 SPAT; 2004/04/22 15:49 2004/04/22 15:50 2004/04/22 1				i .	
buffer) same circular and @ad<20010109 US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; J	_	1	(queue same dimensional near3 (array or		2004/04/22 15:49
BPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TD		_		1	
- 809 dimensional near3 (array or buffer) same circular - 11 (dimensional near3 (array or buffer) same circular) and queue - 12 ((dimensional near3 (array or buffer) same circular) and queue) and @ad<20010109 - 2004/04/22 15:49 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-				1	
Solution Company Com					
Circular US-PGPUB;				IBM_TDB	
Comparison Com	-	809	dimensional near3 (array or buffer) same	USPAT;	2004/04/22 15:49
Company Comp			circular	1	
Comparison of the property o					
- (dimensional near3 (array or buffer) same circular) and queue - ((dimensional near3 (array or buffer) same circular) and queue) and @ad<20010109 - ((dimensional near3 (array or buffer) same circular) and queue) and @ad<20010109 - (54 two adj dimensional near3 (array or buffer) same circular - (55 (two adj dimensional) near3 (array or buffer) same circular - ((two adj dimensional) near3 (array or buffer) same circular - ((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - ((two adj dimensional) near3 (array or buffer) same circular same search - (two adj dimensional) near3 (array or buffer) same circular same search - (two adj dimensional) near3 (array or buffer) same circular same search - (two adj dimensional) near3 (array or buffer) same circular same search - (two adj dimensional) near3 (array or buffer) same circular same search - (two adj dimensional) near3 (array or buffer) same circular same search				1	
Circular and queue			(1)	_	2004/04/22 15 40
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; IBM TDB USPAT; US-	-	11		1	2004/04/22 15:49
- 5 ((dimensional near3 (array or buffer) same circular) and queue) and @ad<20010109 - 654 two adj dimensional near3 (array or buffer) same circular - 654 (two adj dimensional) near3 (array or buffer) same circular - 2 ((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) and @ad<20010109 - 0 (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) and @ad<20010109 - 1 ((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) and @ad<20010109 - 1 ((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) and @ad<20010109 - 1 ((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) and @ad<20010109 - 1 (two adj dimensional) near3 (array or buffer) same circular same search - 1 (two adj dimensional) near3 (array or buffer) same circular same search - 2 (two adj dimensional) near3 (array or buffer) same circular same search - 3 (two adj dimensional) near3 (array or buffer) same circular same search - 4 (two adj dimensional) near3 (array or buffer) same circular same search - 5 (two adj dimensional) near3 (array or buffer) same circular same search - 6 (two adj dimensional) near3 (array or buffer) same circular same search - 6 (two adj dimensional) near3 (array or buffer) same circular same search - 6 (two adj dimensional) near3 (array or buffer) same circular same search - 6 (two adj dimensional) near3 (array or buffer) same circular same search - 6 (two adj dimensional) near3 (array or buffer) same circular same search - 6 (two adj dimensional) near3 (array or buffer) same circular same search - 6 (two adj dimensional) near3 (array or buffer) same circular same search - 6 (two adj dimensional) near3 (array or buffer) same circular same search - 6 (two adj dimensional) near3 (array or buffer) same circular same search			circular, and queue	1	
18M_TDB					
- ((dimensional near3 (array or buffer) same circular) and queue) and @ad<20010109 - (54 two adj dimensional near3 (array or buffer) same circular - (54 (two adj dimensional) near3 (array or buffer) same circular - (154 (two adj dimensional) near3 (array or buffer) same circular - (155 (two adj dimensional) near3 (array or buffer) same circular - (155 (two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - (155 (two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - (155 (two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - (156 (two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - (156 (two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - (156 (two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - (157 (two adj dimensional) near3 (array or buffer) same circular same search - (158 (two adj dimensional) near3 (array or buffer) same circular same search - (157 (two adj dimensional) near3 (array or buffer) same circular same search - (158 (two adj dimensional) near3 (array or buffer) same circular same search - (158 (two adj dimensional) near3 (array or buffer) same circular same search - (159 (two adj dimensional) near3 (array or buffer) same circular same search - (159 (two adj dimensional) near3 (array or buffer) same circular same search - (159 (two adj dimensional) near3 (array or buffer) same circular same search					
Circular and queue and @ad<20010109	_	5	((dimensional near3 (array or buffer) same		2004/04/22 15:50
- 654 two adj dimensional near3 (array or buffer) same circular - 654 (two adj dimensional) near3 (array or buffer) same circular - 654 (two adj dimensional) near3 (array or buffer) same circular - 2 ((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - 0 (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - 0 (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - 0 (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - 1 (two adj dimensional) near3 (array or buffer) same circular and (round adj robin) - 2 (two adj dimensional) near3 (array or buffer) same circular same search - 3 (two adj dimensional) near3 (array or buffer) same circular same search - 4 (two adj dimensional) near3 (array or buffer) same circular same search - 5 (two adj dimensional) near3 (array or buffer) same circular same search - 654 (two adj dimensional) near3 (array or buffer) same circular same search - 655 (two adj dimensional) near3 (array or buffer) same circular same search - 656 (two adj dimensional) near3 (array or buffer) same circular same search - 657 (two adj dimensional) near3 (array or buffer) same circular same search - 658 (two adj dimensional) near3 (array or buffer) same circular same search - 659 (two adj dimensional) near3 (array or buffer) same circular same search				US-PGPUB;	
two adj dimensional near3 (array or buffer) two adj dimensional near3 (array or buffer) two adj dimensional) near3 (array or buffer) same circular ((two adj dimensional) near3 (array or buffer) same circular) ((two adj dimensional) near3 (array or buffer) same circular) ((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) (us-pgpub; EPO; JPO; DERWENT; IBM_TDB robin)) and @ad<20010109 (two adj dimensional) near3 (array or buffer) same circular same search (us-pgpub; EPO; JPO; DERWENT; IBM_TDB robin)			_	EPO; JPO;	
two adj dimensional near3 (array or buffer) same circular 654 (two adj dimensional) near3 (array or buffer) same circular 654 (two adj dimensional) near3 (array or buffer) same circular 2 ((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) 4 ((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) and @ad<20010109 4 (two adj dimensional) near3 (array or buffer) same circular and (round adj robin) and @ad<20010109 4 (two adj dimensional) near3 (array or buffer) same circular same search 5 (USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT;				DERWENT;	
same circular Same circular US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;					
EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; ISPO; JPO; DERWENT;	-	654		1	2004/04/26 09:32
- 654 (two adj dimensional) near3 (array or buffer) same circular 2 ((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) 4 ((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) 4 (two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) 4 (two adj dimensional) near3 (array or buffer) same circular and (round adj robin) 4 (two adj dimensional) near3 (array or buffer) same circular same search 5 (two adj dimensional) near3 (array or buffer) same circular same search 6 (two adj dimensional) near3 (array or buffer) same circular same search 6 (two adj dimensional) near3 (array or buffer) same circular same search 6 (two adj dimensional) near3 (array or buffer) same circular same search			same circular	1	
- 654 (two adj dimensional) near3 (array or buffer) same circular - 2 ((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - 0 (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - 0 (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - 1 0 (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - 2 ((two adj dimensional) near3 (array or buffer) same circular same search - 3 (two adj dimensional) near3 (array or buffer) same circular same search - 4 (two adj dimensional) near3 (array or buffer) same circular same search - 5 (two adj dimensional) near3 (array or buffer) same circular same search - 654 (two adj dimensional) near3 (array or buffer) same circular same search - 7 (two adj dimensional) near3 (array or buffer) same circular same search	1				
Comparison of two adj dimensional of two ad		1		1	
buffer) same circular US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; IBM_T	1	C54	(two add dimensional) rear? (array or		2004/04/22 15:55
- 2 ((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - 0 (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - 0 (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - 4 (two adj dimensional) near3 (array or buffer) same circular same search - 4 (two adj dimensional) near3 (array or buffer) same circular same search - 5 (two adj dimensional) near3 (array or buffer) same circular same search - 6 (two adj dimensional) near3 (array or buffer) same circular same search - 7 (two adj dimensional) near3 (array or buffer) same circular same search - 8 (two adj dimensional) near3 (array or buffer) same circular same search - 9 (two adj dimensional) near3 (array or buffer) same circular same search	1	654		1	2004/04/22 15:55
- 2 ((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - 0 (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - 0 (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin)) and @ad<20010109 - 4 (two adj dimensional) near3 (array or buffer) same circular same search - 4 (two adj dimensional) near3 (array or buffer) same circular same search - 5 (two adj dimensional) near3 (array or buffer) same circular same search - 6 (two adj dimensional) near3 (array or buffer) same circular same search - 7 (two adj dimensional) near3 (array or buffer) same circular same search - 8 (two adj dimensional) near3 (array or buffer) same circular same search - 9 (two adj dimensional) near3 (array or buffer) same circular same search - 1 (two adj dimensional) near3 (array or buffer) same circular same search - 1 (two adj dimensional) near3 (array or buffer) same circular same search			Dallel, bame circular	1	
- 2 ((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - 0 (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - 0 (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin)) and @ad<20010109 - 4 (two adj dimensional) near3 (array or buffer) same circular same search - 4 (two adj dimensional) near3 (array or buffer) same circular same search - 5 (two adj dimensional) near3 (array or buffer) same circular same search - 6 (two adj dimensional) near3 (array or buffer) same circular same search - 7 (two adj dimensional) near3 (array or buffer) same circular same search				1	
- 2 ((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - 0 (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin) - 0 (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin)) and @ad<20010109 - 4 (two adj dimensional) near3 (array or buffer) same circular same search - 4 (two adj dimensional) near3 (array or buffer) same circular same search - 5 (two adj dimensional) near3 (array or buffer) same circular same search - 6 (two adj dimensional) near3 (array or buffer) same circular same search - 7 (two adj dimensional) near3 (array or buffer) same circular same search				1	
buffer) same circular) and (round adj robin) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; robin)) and @ad<20010109 ((two adj dimensional) near3 (array or buffer) same circular and (round adj robin)) and @ad<20010109 (two adj dimensional) near3 (array or buffer) same circular same search USPAT; USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	2	((two adj dimensional) near3 (array or		2004/04/22 15:50
DERWENT; IBM_TDB USPAT; US-PGPUB; robin)) and @ad<20010109 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				-	
- Uspat; buffer) same circular) near3 (array or buffer) same circular) and (round adj robin)) and @ad<20010109 - Uspat; Us-PGPUB; EPO; JPO; DERWENT; IBM_TDB Uspat; Us-PGPUB; EPO; JPO; DERWENT; Us-PGPUB; EPO; JPO; DERWENT; Us-PGPUB; EPO; JPO; DERWENT;					
O (((two adj dimensional) near3 (array or buffer) same circular) and (round adj robin)) and @ad<20010109 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EVO; JPO; Duffer) same circular same search US-PGPUB; EVO; JPO; DERWENT;				1	
buffer) same circular) and (round adj robin)) and @ad<20010109 - 4 (two adj dimensional) near3 (array or buffer) same circular same search US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;			1,,,,		0004/01/00 == ==
robin)) and @ad<20010109 EPO; JPO; DERWENT; IBM_TDB (two adj dimensional) near3 (array or USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT;	-	0			2004/04/22 15:53
- 4 (two adj dimensional) near3 (array or buffer) same circular same search US-PGPUB; EPO; JPO; DERWENT;					
- 4 (two adj dimensional) near3 (array or buffer) same circular same search (two adj dimensional) near3 (array or buffer) same circular same search (US-PGPUB; EPO; JPO; DERWENT;			LODIN)) and wad<20010109		
- 4 (two adj dimensional) near3 (array or USPĀT; US-PGPUB; EPO; JPO; DERWENT;				1	
buffer) same circular same search US-PGPUB; EPO; JPO; DERWENT;	1_		(two adi dimensional) near3 (array or		2004/04/22 15:51
EPO; JPO; DERWENT;				1	
DERWENT;				1	

-	449	((two adj dimensional) near3 (array or buffer) same circular) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO;	2004/04/22 15:56
			DERWENT; IBM TDB	
-	183	((two adj dimensional) near3 (array or buffer)) same (circular near3 (array or buffer))	USPAT; US-PGPUB; EPO; JPO;	2004/04/22 15:56
	2	((two adj dimensional) near3 (array or	DERWENT; IBM_TDB USPAT;	2004/04/26 09:19
		buffer) same circular same search) and @ad<20010109	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	6	((two adj dimensional) near3 (array or buffer)) same circular same software	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 09:33
-	3	(((two adj dimensional) near3 (array or buffer)) same circular same software) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 09:53
-	1548	(buffer or queue) with generated with (software or program or application)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 09:51
-	12	(buffer or queue) with generated with (software or program or application) with circular	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 09:38
-	6	((buffer or queue) with generated with (software or program or application) with circular) and @ad<20010109	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 09:38
-	123	(((two adj dimensional) near3 (array or buffer)) same (circular near3 (array or buffer))) and @ad<20010109	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 09:44
-	2211164	(((two adj dimensional) near3 (array or buffer or queue)) same (circular near3 (array or buffer or queue)) same message or data) and @ad<20010109	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 09:45
-	11	(((two adj dimensional) near3 (array or buffer or queue)) same (circular near3 (array or buffer or queue)) same (message or data)) and @ad<20010109	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 09:45
-	333	(buffer or queue) near3 generated with (software or program or application)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 09:51
-	333	((buffer or queue) near3 generated) with (software or program or application)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 09:52
-	1	((buffer or queue) near3 generated) with (software or program or application) same ((two adj dimensional) near3 (array or buffer))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 09:53

-	1 ((buffe	r or queue) near3 generated) with	USPAT;	2004/04/26	09:53
	(softwa	re or program or application) same	US-PGPUB;		
	((two a	dj dimensional) near3 (array or	EPO; JPO;		
	buffer	or queue))	DERWENT;		
		•	IBM TDB	Ì	
_	1 (((buff	er or queue) near3 generated) with	USPAT;	2004/04/26	09:53
		re or program or application) same	US-PGPUB;		
		dj dimensional) near3 (array or	EPO: JPO:		
	1	or queue))) and @ad<20010109	DERWENT;		
			IBM TDB		